

DEVAL L. PATRICK
GOVERNOR

TIMOTHY P. MURRAY
LIEUTENANT GOVERNOR

JUDYANN BIGBY, MD
SECRETARY

JOHN AUERBACH
COMMISSIONER

The Commonwealth of Massachusetts
Executive Office of Health and Human Services
Department of Public Health
William A. Hinton State Laboratory Institute
305 South Street, Jamaica Plain, MA 02130
617-983-6622

02/08/12

Ryan Mingo
Assistant District Attorney, Suffolk County

Dear ADA Mingo,

Enclosed are copies of the information you requested regarding sample numbers [REDACTED] in the following:

1. Drug Analysis Laboratory Receipt.
2. Curriculum Vitae for Daniela Frasca and Annie Khan (Dookhan).
3. Control Cards with Analytical Results for sample numbers [REDACTED]
4. Analysis Notation Form for sample number [REDACTED].
5. Control Card with Hand Written Notations of Analytical Results for sample number [REDACTED]
6. GC-MS Raw Data Sheets for sample number [REDACTED]

GC-MS confirmatory testing was performed by Annie Khan (Dookhan). All other testing was performed by Daniela Frasca. If you have any questions or concerns about these facts, please contact me at the number below.

Sincerely,

A handwritten signature in black ink, appearing to read 'Daniela Frasca'.

Daniela Frasca
Chemist II
Drug Laboratory
617 983-6631
fax: 617 983-6625



BOOK # 154

PAGE # 85

DESTRUCTION # _____

District/Unit B-2

Name & Rank of Arresting Officer DET. S. RICHARD ID# 11637

To be completed by ECU personnel only

Name and Rank of Submitting Officer John Lee ID# 1570

Received by _____ Date 6-7-11

ECU Control # _____

Curriculum Vitae

Daniela Frasca

Education

Suffolk University, Boston, MA

Graduated in 05/1996 and received a Bachelor of Science in Biochemistry

EXPERIENCE

Massachusetts State Laboratory Institute/DPH, Jamaica Plain, MA 01/2001 – present

Drug Laboratory: Chemist II

- Analysis of all substances by chemical screening, microscopy, and instrument confirmation to determine the presence of drugs for law enforcement agencies in the Commonwealth of Massachusetts.
- Appointed assistant analyst on January 29, 2001 by the Assistant Commissioner of DPH
- Completed four weeks of training in drug analysis under the supervision of senior chemists.

Quest Diagnostics Incorporated, Cambridge, MA

09/1996 – 10/2001

Department of Toxicology: Medical Technologist I

- Handles comprehensive toxic analysis, therapeutic drug monitoring, forensic drug screening, and compound ID's of biohazard samples utilizing standard operating procedures in clinical toxicology.
- Entered data and interpreted results for reporting
- QC/QA of multiple analytical instrumentation as well as maintenance
- Completed 60 days of training under the supervision of doctorate level toxicologists.

Additional Training and Graduate Courses

Boston University School of Medicine

Forensic Toxicology

Bloodstain Pattern Analysis

Forensic Pathology

Pattern Evidence Analysis

Trace Evidence Analysis

Forensic Biology

Criminal Law Mock Court (Expert Witness)

Northeastern Association of Forensic Scientists

Designer Drugs

Clandestine labs

Agilent Instruments and Software

Digital Photography

McCrone Research Institute

Scanning Electron Microscopy and X-ray Microanalysis

Forensic Polarized Microscopy

Polarized Microscopy of Illicit Drugs and Excipients

Chemical Microscopy

Sample Preparation and Manipulation for Microanalysis

Massachusetts State Laboratory Institute

Expert Witness Testimony

Portable Raman Spectrometry

Associations and Programs

- Northeastern Association of Forensic Scientists (NEAFS)
- The International Association of Forensic Toxicologists (TIAFT)
- The International Association of Therapeutic Drug Monitoring And Clinical Toxicology (IATDMCT)
- Massachusetts State Science Fair Judge
- Middle School State Science Fair Judge
- TTT Mentor Science Project Mentor/Tutor Volunteer

Curriculum Vitae

Annie Khan (Dookhan)

Education:

University of Massachusetts, Boston, Ma, Bachelor of Science

Major: Biochemistry

Minor: Economics

Experience:

2003 – present

Chemist I, II, Massachusetts Department of Public Health, Drug Analysis Laboratory

*Responsible for the identification of illicit drugs to determine violations of harmful and narcotic drug laws.

*Writing of the Standard Operating Procedures (SOPs) and Protocols.

*Responsible for the Quality Control and Quality Assurance of analytical instruments, reagents and controls/standards.

*Maintenance and repairs of analytical instruments.

*Trained in the use of complex analytical instrumentation, microscopes and balances for the purpose of drug analysis.

*Qualified as an expert witness in Massachusetts Courts and U.S. District Court.

*Completed six-week training course conducted by senior staff within the Department of Public Health, Drug Analysis Laboratory.

*Appointed Assistant Analyst by Assistant Commissioner of Public Health.

*Notary Public.

2001 – 2003

QC Analyst I, II, UMMS-Massachusetts Biologic Laboratory, QC Material Control

*Completed proficiency training conducted by a member of the staff within the MBL Quality Control and Quality Assurance Department for the Food and Drug Administration.

*Method Development for creating new techniques for the QC Dept. and FDA.

*Writing, revising and reviewing the Standard Operating Procedures (SOPs).

*Trained and supervised new chemists and interns for the department.

*Routine QC testing of products for the FDA.

*Trained in the use of complex analytical instrumentation, and balances for the purpose of QC analysis for product and validation projects.

*Calibration, preventive maintenance, QC and QA of analytical instrumentation.

*Complete testing of chemicals for Vendor Validation Project for the FDA.

*Compendial testing and interpretation of the USP, ACS, FCC, AOAC, Merck Index, PDR, etc.

Additional Courses:

Department of Justice – Forensics Professionals

Introduction to Forensic Drug Chemistry

Chemical Spot Test and Mechanism for Illicit Drugs

Forensic Mass Spectrometry

Forensic Science 101: An Introduction

Fundamentals of Forensic Questioned Documents

Perspectives in Expert Testimony

Evidence Analysis

Ethics in Forensic Science

Transition to Leadership

Fundamentals of Forensic Toxicology

Additional Trainings:

Good Laboratory Practice/Good Manufacturing Practice (GLP/GMP) training with Massachusetts Biologic Laboratory.

Quality Control/Quality Assurance (QC/QA) training according to FDA Codes and Regulations.

Gas Chromatography (GC) and Gas Chromatography/Mass Spectrometry (GC/MS) trainings with Agilent Technologies and Restek.

High Power Liquid Chromatography (HPLC) and HPLC/MS/MS trainings with Waters Cooperation.

Fourier Transform Infrared Spectroscopy (FTIR) training with Spectros and Spectrum One.

Ultraviolet-Visible Spectroscopy (UV-Vis) training with Agilent Technologies and Beckman.

Total Organic Carbon Analyzer (TOC) training with MBL and Sievers.

Associations:

American Chemical Society (ACS)

Northeastern Association of Forensics Science (NEAFS)

No. [REDACTED] Date Analyzed: 06-30-11
City: Boston D.C.U. Police
Officer: P.O. Diana Lopez

Def: [REDACTED]
Amount: Subst: SUB
No. Cont: 1 Cont: pb

Date Rec'd: 06/01/2011 No. Analyzed:

Gross Wt: 1.840 Net Wt: 0.27g
#Tests: 7
2410

Prelim: Cocaine Findings: cocaine

No. B11-06022 Date Analyzed: 6/30/11
City: Boston D.C.U. Police
Officer: P.O. Diana Lopez

GW: 10.60g
Def: BROOKS, NIQUITA & JEMMOTT, LAW
Amount: Subst: VM
No. Cont: 1 Cont: pb

Date Rec'd: 06/01/2011 No. Analyzed:

Gross Wt: 14.530 Net Wt:
#Tests: Macro
Micro
R-L & [REDACTED]

Prelim: Findings: Marijuana [REDACTED]

DRUG POWDER ANALYSIS FORM

SAMPLE #

AGENCY

Boston

ANALYST

DR

PHYSICAL DESCRIPTION:

NA contents

-Toned

Ev. mark

Powder loose in 1 PB (evidence bag)

Marg -

Grass m. -

Proed -

Meck -

Net wt 0.2781g

Cobalt +, blue

Gold +

TLTA +

PRELIMINARY TEST RESULTS

RESULTS Cocaine

DATE 6/27/11

GC/MS CONFIRMATORY TEST

RESULTS Cocaine

MS OPERATOR PSM

DATE 6/30/11

No. [REDACTED] Date Analyzed:
City: Boston D.C.U. Police
Officer: P.O. Diana Lopez

6/30/11

GW: 10.60g

Def: [REDACTED]

Amount: Subst: VM

No. Cont: 1 Cont: pb

Date Rec'd: 06/01/2011 No. Analyzed:

Gross Wt: 14.530 Net Wt:

#Tests: Macro
Micro
D-L & [REDACTED]

Prelim:

Findings: Marijuana [REDACTED]


MS.
P/CSO
+ Hank
[REDACTED]

Area Percent / Library Search Report

Information from Data File:

File Name : F:\Q2-2011\SYSTEM 7\06_29_11\794215.D
Operator : ASD
Date Acquired : 29 Jun 2011 10:23
Sample Name : BLANK
Submitted by : DXF
Vial Number : 1
AcquisitionMeth: DRUGS.M
Integrator : RTE

✓ ASD
02-08-12




Ret. Time	Area	Area %	Ratio %
-----------	------	--------	---------

NO INTEGRATED PEAKS

Area Percent / Library Search Report

Information from Data File:

File Name : F:\Q2-2011\SYSTEM 7\06_29_11\794216.D
 Operator : ASD
 Date Acquired : 29 Jun 2011 10:36
 Sample Name : COCAINE STD
 Submitted by : DXF
 Vial Number : 16
 AcquisitionMeth: DRUGS.M
 Integrator : RTE



Ret. Time	Area	Area %	Ratio %
4.659	942096	100.00	100.00



Area Percent / Library Search Report

Information from Data File:

File Name : F:\Q2-2011\SYSTEM 7\06_29_11\794216.D
 Operator : ASD
 Date Acquired : 29 Jun 2011 10:36
 Sample Name : COCAINE STD
 Submitted by : DXF
 Vial Number : 16
 AcquisitionMeth: DRUGS.M
 Integrator : RTE

Search Libraries: C:\Database\SLI.L Minimum Quality: 80
 C:\Database\NIST05a.L Minimum Quality: 80
 C:\Database\PMW_TOX2.L


PK#	RT	Library/ID	CAS#	Qual
1	4.66	C:\Database\SLI.L COCAINE	000050-36-2	99



Area Percent / Library Search Report

Information from Data File:

File Name : F:\Q2-2011\SYSTEM 7\06_29_11\794219.D
Operator : ASD
Date Acquired : 29 Jun 2011 11:14
Sample Name : BLANK
Submitted by : DXF
Vial Number : 1
AcquisitionMeth: DRUGS.M
Integrator : RTE




Ret. Time	Area	Area %	Ratio %
-----------	------	--------	---------

NO INTEGRATED PEAKS

Area Percent / Library Search Report

Information from Data File:

File Name : F:\Q2-2011\SYSTEM 7\06_29_11\794220.D
 Operator : ASD
 Date Acquired : 29 Jun 2011 11:26
 Sample Name : XXXXXXXXXX
 Submitted by : DXF
 Vial Number : 20
 AcquisitionMeth: DRUGS.M
 Integrator : RTE



Ret. Time	Area	Area %	Ratio %
3.844	488596	20.60	25.94
4.665	1883564	79.40	100.00



Area Percent / Library Search Report

Information from Data File:

File Name : F:\Q2-2011\SYSTEM 7\06_29_11\794220.D
 Operator : ASD
 Date Acquired : 29 Jun 2011 11:26
 Sample Name : XXXXXXXXXX
 Submitted by : DXF
 Vial Number : 20
 AcquisitionMeth: DRUGS.M
 Integrator : RTE

Search Libraries: C:\Database\SLI.L Minimum Quality: 80
 C:\Database\NIST05a.L Minimum Quality: 80
 C:\Database\PMW_TOX2.L

PK#	RT	Library/ID	CAS#	Qual
1	3.84	C:\Database\NIST05a.L		
		Imidazo[2,1-b]thiazole, 2,3,5,6-tet	014769-73-4	99
		Imidazo[2,1-b]thiazole, 2,3,5,6-tet	014769-73-4	98
		Imidazo[2,1-b]thiazole, 2,3,5,6-tet	006649-23-6	98





Information from Data File:

File Name : F:\Q2-2011\SYSTEM 7\06_29_11\794220.D
Operator : ASD
Date Acquired : 29 Jun 2011 11:26
Sample Name : XXXXXXXXXX
Submitted by : DXF
Vial Number : 20
AcquisitionMeth: DRUGS.M
Integrator : RTE


Search Libraries: C:\Database\SLI.L Minimum Quality: 80
C:\Database\NIST05a.L Minimum Quality: 80
C:\Database\PMW_TOX2.L

PK#	RT	Library/ID	CAS#	Qual
2	4.66	C:\Database\SLI.L COCAINE	000050-36-2	99



Information from Data File:

File Name : F:\Q2-2011\SYSTEM 7\06_29_11\794235.D
Operator : ASD
Date Acquired : 29 Jun 2011 14:36
Sample Name : BLANK
Submitted by : DXF
Vial Number : 1
AcquisitionMeth: DRUGS.M
Integrator : RTE




Ret. Time	Area	Area %	Ratio %
-----------	------	--------	---------

NO INTEGRATED PEAKS

Information from Data File:

File Name : F:\Q2-2011\SYSTEM 7\06_29_11\794236.D
 Operator : ASD
 Date Acquired : 29 Jun 2011 14:49
 Sample Name : COCAINE STD
 Submitted by : DXF
 Vial Number : 16
 AcquisitionMeth: DRUGS.M
 Integrator : RTE



Ret. Time	Area	Area %	Ratio %
4.659	1089436	100.00	100.00

Area Percent / Library Search Report

Information from Data File:

File Name : F:\Q2-2011\SYSTEM 7\06_29_11\794236.D
 Operator : ASD
 Date Acquired : 29 Jun 2011 14:49
 Sample Name : COCAINE STD
 Submitted by : DXF
 Vial Number : 16
 AcquisitionMeth: DRUGS.M
 Integrator : RTE

Search Libraries: C:\Database\SLI.L Minimum Quality: 80
 C:\Database\NIST05a.L Minimum Quality: 80
 C:\Database\PMW_TOX2.L

PK#	RT	Library/ID	CAS#	Qual
1	4.66	C:\Database\SLI.L COCAINE	000050-36-2	99

